


**SUNSON TECH**

**UPT-4in1 terminal**

**Model No SIT-P295A**



**THE KEY TO FACILITATE YOUR INPUT**



No.	Components	Detail Description	remark
1	LCD	3.5 inch TFT LCED, 320*240 dot,24 bit RGB interface, operating temperature -20°C to 70 °C	
2	Thermal printer	58mm thermal printer, 48MM valid printing width, paper thickness 60~80 μm, word stock GB18030,ASC II standard	
3	contactless card reader	SUPPORT iso-7816, ISO-14443/ISO18092 NFC	
4	EPP	PCI 3.0 approved Pinpad, support DES/TriDes, RSA etc	
5	card reader	dip card reader , supports IC card and Megnetic card,and RFID card	
6	side key	two pcs of 4 keys sidekey to assure the performance in harsh environment	
7	mother board	Onboard CPU, support i.MX6UL series, 512MB ddr3l, support Micro SD card, 8GB eMMC flash, support 2*100M LAN port. 6 RS232 port, 5 USB port, 1 CAN port. Extension port: 1 minipcie support wifi or 3/4G modules. Working temperature: 0~60 °C	

***2.Overall Size: LXWXD=306X262X159MM***

***3.Input Power :DC 24V/5A***

***4.System and I/O***


***Linux core***

***6XCOM(COM1~COM5 Support RS232,COM2 Also Support RS485)***

***5XUSB2.0 ;1Xcanbus,14xGPIO;***


***Operating Voltage for motherboard DC 5V***

## Dimensions for making hole on machine



## Installation and disassemble

**Note: the back cover is optional, you can use it or drop it**



For more information, please kindly contact:

[Joey Liu](#)

Email: [joey.liu@szsunson.com](mailto:joey.liu@szsunson.com)

Mobile/ WhatsApp: [+86 15818596484](tel:+8615818596484)

Thank you!